

ASSIGNED**54756**

Serial No.

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

NEW PRIORITY DATE:

-MAY 1-4 1990 JAN 29 1998

Date of filing in State Engineer's Office

Returned to applicant for correction

Corrected application filed

Map filed

JUN 08 1990

under 54749

The applicant Lands of Sierra, Inc.50 West Liberty #720

of

Reno

Street and No. or P.O. Box No.

City or Town

Nevada 89501

State and Zip Code No.

hereby make ^s application for permission to change thePoint of Diversion, Manner and Place of Use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit # 36376

Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

Identify right in Decree.

1. The source of water is Underground

Name of stream, lake, underground spring or other source.

2. The amount of water to be changed 6.0 cfs. (not to exceed 1920 AF/Yr.)

Second feet, acre feet. One second foot equals 448.83 gallons per minute.

3. The water to be used for Industrial (Power)

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for Irrigation

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point within the SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 27, T41N, R65E,

Describe as being within a 40-acre subdivision of public survey and by course and

MDM, at a point from which the SE corner of Section 26 of said township & range
distance to a section corner. If on unsurveyed land, it should be stated.bears S. 83° 40' E., 5,977 feet distance6. The existing permitted point of diversion is located within SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 1, T 40 N, R 65 E, MDM,

If point of diversion is not changed, do not answer.

at a point from which the SE corner of said section bears S. 45° E., 100 ft.distance7. Proposed place of use All of Sections 16 thru 21 and 28 thru 30 inclusive, T 40 N,

Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

R 66 E, MDM8. Existing place of use All of Section 1, T 40 N, R 65 E, MDM (640 acres)

Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or

manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from January 1 to December 31 of each year.

Month and Day

Month and Day

10. Use was permitted from January 1 to December 31 of each year.

Month and Day

Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) A turbine pump will be installed, transmission

State manner in which water is to be diverted, i.e. diversion structure,

& storage tanks will be built to transport water to the proposed place of use
ditches, pipes and flumes, or drilled well, etc.12. Estimated cost of works \$35,000.0013. Estimated time required to construct works Five Years

14. Estimated time required to complete the application of water to beneficial use.....Ten Years.....

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use:

This application is made in contemplation of the need of developing additional water for industrial use at the site of the proposed Thousand Springs Generating Company, for which applicant is under contract as supplier. Applicant is requesting a postponement of action by the state engineer following the required publication of the application, until such time as the plan for development under this particular application is ready and a thorough study of the supply potential within the basin is completed. (NRS 533.370(2)).

Please send copies of all correspondence and notices to undersigned agent.

By /s/ William A. Nisbet

Agent
421 Court
Elko, Nevada 89801

Compared ap/se jr/vjw

Protested 7/23/90 by The Board of Elko County Commissioners

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion, manner of use and place of use of the waters of an underground source as heretofore granted under Permit 36376 is issued subject to the terms and conditions imposed in said Permit 36376 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The well must be sealed with cement grout, concrete grout or neat cement from ground level to 100 feet.

The total combined duty of water under Permits 53834, 54749, 54750, 54751, 54752, 54753, 54754 and 54756 shall not exceed 14,400.0 acre-feet annually.

(CONTINUED ON PAGE 2)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 6.0 cubic feet per second but not to exceed 1920.0 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 27, 1996

Proof of completion of work shall be filed before April 27, 1996

Application of water to beneficial use shall be made on or before March 27, 1997

Proof of the application of water to beneficial use shall be filed on or before April 27, 1997

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed.....

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my

Proof of beneficial use filed.....

office, this 30th day of September,

Cultural map filed.....

A.D. 19 94

Certificate No. Issued.....

R. Michael Turnipseed, P.E.
State Engineer

CANCELLED JAN 05 1998
BECAUSE OF FAILURE
OF APPLICANT TO COMPLY WITH THE PROVISIONS OF PERMIT

Cap. Rescinded - See Stipulation & Order
Filed 7/10/2000.

(PERMIT TERMS CONTINUED)

A monthly report shall be submitted to the State Engineer within 10 days from the end of each month which shall include the amount of water pumped from the well and the amount of water used.

